



**VISION DIRECT LABS LLC**

89 Auburn Street  
Suite 1007  
Portland,  
ME 04103  
USA

**ANALYSIS CERTIFICATE - CBD PATCH**

**LOT NO.:** AP20 20210201/1

**MANUFACTURED:** February 2021

**Construction:**

<u>Face Sheet:</u>	0.102 mm clear FT-200 polyethylene
<u>Adhesive:</u>	Moderate molecular weight, non-crosslinking, Acrylic co-polymer pressure sensitive adhesive.
<u>Release Liner:</u>	90 gm per square meter Semi-bleached densified kraft.

**Active Ingredients:** Each patch indicated to contain :

CBD Isolate                      20mg

**Size of Patch:** 38mm square with rounded corners.

**Active Ingredients per Patch:** 19.9969 mg.

**CERTIFICATE OF PATCH COMPOSITION:**

The computer controlled systems ensure an even coat weight across the entire film at 35gsm of adhesive coat weight. The calculation we conducted to ensure correct dosing is as follows:

Total coated film area is 400.05m<sup>2</sup>  
Total adhesive used is 14001.75 grams (400.05m<sup>2</sup> x 35gsm)

A 38mm x 38mm patch has a surface area of 1444mm<sup>2</sup>, therefore per sqm of film there is 692.52 patches

**692.52 Patches per m<sup>2</sup> x 400.05m<sup>2</sup> coated = total 277,042 patches coated by area.**

**CBD Isolate (99.4%)      Total Added 5540g Divided by 277,042 patches = 19.9969 mg per patch**

We certify that the above mentioned ingredients and amounts listed have been added to the adhesive in the amounts stated and are present in the coated materials. The roll goods were manufactured in **February 2021** with an expiration date of 3 years from manufacture of **February 2024**

Signature:   
Jonathan Cartell



This information is being supplied on a "CONFIDENTIAL" basis and only intended for use for Registration with the Health Department. Any use of this information for promotional use is prohibited without the written permission from Vision Direct LLC. It is also understood that a copy of any registration granted from any Health Department will be forwarded to Vision Direct LLC.